

**GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT**

Public Services – RWS&S Department – Allegations of misuse without execution of works without in YSR Kadapa district– Disciplinary proceedings against Sri K. Vijaya Kumar, the then Deputy Executive Engineer, RWS&S Sub-division, Kamalapuram and presently working as Executive Engineer, RWS&S Division, Adoni, under Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of charges – Issued.

---

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.II) DEPARTMENT

**G.O.RT.No. 508**

**Dated: 25.05.2015  
Read**

ORDER:

It is proposed to hold an enquiry against Sri K. Vijaya Kumar, the then Deputy Executive Engineer, Rural Water Supply & Sanitation Sub-division, Kamalapuram and presently working as Executive Engineer, Rural Water Supply & Sanitation Division, Adoni, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II and III).

3. Sri K. Vijaya Kumar, the then Deputy Executive Engineer, , Rural Water Supply & Sanitation Sub-division, Kamalapuram and presently working as Executive Engineer , Rural Water Supply & Sanitation Division, Adoni, is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri K. Vijaya Kumar, the then Deputy Executive Engineer, , Rural Water Supply & Sanitation Sub-division, Kamalapuram and presently working as Executive Engineer, Rural Water Supply & Sanitation Division, Adoni, is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri K. Vijaya Kumar, the then Deputy Executive Engineer, , Rural Water Supply & Sanitation Sub-division, Kamalapuram and presently working as Executive Engineer, Rural Water Supply & Sanitation Division, Adoni, is further informed that if he does not submit his written statement of defence on or before the period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri K. Vijaya Kumar, the then Deputy Executive Engineer, , Rural Water Supply & Sanitation Sub-division, Kamalapuram and presently working as Executive Engineer, Rural Water Supply & Sanitation Division, Adoni, is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri K. Vijaya Kumar, the then Deputy Executive Engineer,

Contd...2

Rural Water Supply & Sanitation Sub-division, Kamalapuram and presently working as Executive Engineer, Rural Water Supply & Sanitation Division, Adoni, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The receipt of this G.O. shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.K.S. JAWAHAR REDDY  
SECRETARY TO GOVERNMENT (PR&RWS)

To

Sri K. Vijaya Kumar, the then Deputy Executive Engineer, RWS&S Sub-division, Kamalapuram and presently working as Executive Engineer, RWS&S Division, Adoni through the Engineer-in-Chief, RWS&S, A.P., Hyderabad.

The Engineer-in-Chief, RWS &S, A.P., Hyderabad. (in duplicate with a request to serve and return the dated acknowledgement copy)

Copy to:

The GA (V&E) Department, A.P., BRKR Buildings, Hyderabad.

The Secretary, A.P. Vigilance Commission, Hyderabad.

The PR&RD (Estt.I) Department.

SF/SC.

//FORWARDED : BY: ORDER //

SECTION OFFICER

## **ANNEXURE-I**

(Annexure to G.O.RT.No. 508, PR&RD (Vig.II) Dept., dt. 25.05.2015)

### **STATEMENT OF ARTICLE OF CHARGES AGAINST SRI K. VIJAYA KUMAR, THE THEN DEPUTY EXECUTIVE ENGINEER, RWS SUB-DIVISION, KAMALAPURAM, KADAPA DISTRICT AND NOW EXECUTIVE ENGINEER, RWS&S DIVISION, ADONI.**

#### **CHARGE:**

That Sri K. Vijaya Kumar, while working as Deputy Executive Engineer, RWS&S Sub-division, Kamalapuram, has check-measured excess measurement; recommended excess bill amount for works executed through self help groups and Sarpanchs of concerned Gram Panchayat for the works under various grants and; executed rejected quantity of works. Thus, he failed to discharge his legitimate duties, in violation of the A.P. Civil Services (Conduct) Rules, 1964.

#### **Basis:**

The General Administration (Vigilance and Enforcement) Department has inspected the works executed under various grants i.e., Rajiv Palle Bhata, ACDP, MPLADS, MGNREGS, ZP general funds, APSFC, Zilla Parishad seignorage grant, MP Rs:8/- per capita, Mandal Parishad woman and child welfare, Mandal Parishad Shedule Caste welfare, Mandal Parishad Shedule Tribal welfare, RRM and TFC in Kamalapuram (M) of Y.S Raja Sekhar Reddy District and furnished a report vide Vigilance Report No.27, dated:31.10.2014, recommending to initiate disciplinary proceedings for major penalty against K. Vijaya Kumar, while working as Deputy Executive Engineer, RWS&S Sub-division, Kamalapuram, Kadapa district. The V&E department has observed that Sri K. Vijaya Kumar, while working as Deputy Executive Engineer, RWS&S Sub-division, Kamalapuram, has check measured excess measurement and recommended excess bill for an amount of Rs.65408/- for the following works:-

1. Formation of pipe line from OHSR to Y.K. Subbi Reddy house in Yerragudi padu of Kamalapuram mandal (Sl.No.74 of V&E report).
2. Repairs to SP set at Kondayapalli of Kamalapuram Mandal (Sl.No.78 f V&E Report).
3. Repairs to motor and pipe line leakages at Peddacheppali of Kamalapur Mandal (Sl.No.79 of V&E Report).
4. Extension of pipeline to J. Kothapalli of Kamalapuram Mandal (Sl.No.80 of V&E report).
5. Extension of pipe line to Jangampalli H/O T. Sadipiralla of Kamalapuram mandal (Sl.No.81 of V&E report).
6. Augmentation of PWS Scheme at K.Appayapalli of Kamalapuram Mandal (Sl.No.82 of V&E Report).
7. Providing drinking water pipe line to ZPHS (boys) in Kamalapuram Mandal (Sl.No.83 of V&E report).
8. Completion of incomplete DEE, RWS building at Kamalapuram village (Sl.No.84 of V&E report).

Contd.....2

The then Deputy Executive Engineer, RWS&S Sub-Division, Kamalapuram has executed the works through self help groups and Sarpanchs of concerned Gram Panchayat and the V&E department has observed discrepancy in measurement of the following works of more than 20% in some items in each work is rejected worth of Rs.3,34,733/-.

1. Providing filter point and pipe line at Chenna Reddy Palli of Kamalapuram Mandal (Sl.No.18 of V&E Report);
2. Balance works and pumping main connection to OHSR in Devarajupalli (Sl.No.20 of V&E Report).
3. Formation of pipeline from OHSR to Y.K. Subbi Reddy house in Yerragudi padu of Kamalapuram mandal (Sl.No.74 of V&E report).
4. Providing filter point and hand pumps at Indiramma colony of Kamalapuram Mandal (Sl.No.75 of V&E Report).
5. Providing Drinking Water facility to ZPHS (Girls) in Kamalapuram village and Mandal (Sl.No. 77 of V&E Report).
6. Extension of pipe line to Janagampalli H/O T. Sadipiralla of Kamalapuram mandal (Sl.No.81 of V&E report).
7. Augmentation of PWS Scheme at K.Appayapalli of Kamalapuram Mandal (Sl.No.82 of V&E Report).
8. Providing drinking water pipe line to ZPHS (boys) in Kamalapuram Mandal (Sl.No.83 of V&E report).
9. Completion of incomplete DEE, RWS building at Kamalapuram village (Sl.No.84 of V&E report).

Thus, being a Government servant, he had failed in attending to his legitimate duties. From this it is evident that he has shown gross negligence towards his legitimate duties and failed in supervision, due to which an excess amount was released to agency and made loss to the Government.

Hence, the charge.

Dr.K.S. JAWAHAR REDDY  
SECRETARY TO GOVERNMENT (PR&RWS)

SECTION OFFICER

**ANNEXURE-II**

(Annexure to G.O.RT.No. 508, PR&RD (Vig.II) Dept., dt. 25.05.2015)

**LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGE FRAMED AGAINST SRI K. VIJAYA KUMAR, THE THEN DEPUTY EXECUTIVE ENGINEER, RWS SUB-DIVISION, KAMALAPURAM, KADAPA DISTRICT AND NOW EXECUTIVE ENGINEER, RWS&S DIVISION, ADONI ARE PROPOSED TO BE SUSTAINED**

Vigilance Report No.27 (C.No.508/V&E/E1/2013), Dated: 31.10.2014  
of General Administration (V&E) Department.

Dr.K.S. JAWAHAR REDDY  
SECRETARY TO GOVERNMENT (PR&RWS)

SECTION OFFICER

**ANNEXURE-III**

(Annexure to G.O.RT.No. 508, PR&RD (Vig.II) Dept., dt. 25.05.2015)

**LIST OF WITNESSES BY WHOM THE ARTICLE OF CHARGE FRAMED AGAINST SRI K. VIJAYA KUMAR, THE THEN DEPUTY EXECUTIVE ENGINEER, RWS SUB-DIVISION, KAMALAPURAM, KADAPA DISTRICT AND NOW EXECUTIVE ENGINEER, RWS&S DIVISION, ADONI ARE PROPOSED TO BE SUSTAINED.**

- NIL -

Dr.K.S. JAWAHAR REDDY  
SECRETARY TO GOVERNMENT (PR&RWS)

SECTION OFFICER